

HDB 630

Wireless headphones Model: HDBT



Instruction manual

Use the search function, the navigation (left) or the following links: Start

"Product overview"

"Getting started"

"Using the headphones"

"FAQ/If a problem occurs..."

"Specifications"

Sonova Consumer Hearing GmbH Im Heidkampe 9 30659 Hannover Germany www.sennheiser-hearing.com

Version: 12/25 A02

Important safety instructions



- ▶ Read this instruction manual carefully and completely before using the product.
- Do not use the product if it is obviously defective or makes loud, unusual (whistling or beeping) noise.
- Only use the product in environments where Bluetooth wireless transmission is permitted.

Preventing damage to health and accidents

- Protect your hearing from high volume levels. Permanent hearing damage may occur when headphones are used at high volume levels for long periods of time. Headphones of the Sennheiser brand sound exceptionally good even at low and medium volume levels.
- ➤ The product generates stronger permanent magnetic fields that could cause interference with cardiac pacemakers, implanted defibrillators (ICDs) and other implants. Always maintain a distance of at least 3.94"/10 cm between the product component containing the magnet and the cardiac pacemaker, implanted defibrillator, or other implant.
- ▶ Keep the product, accessories and packaging parts out of reach of children and pets to prevent accidents. Swallowing and choking hazard.
- Do not use the product in an environment that requires your special attention (e.g. in traffic). Especially the product's active noise cancellation can make ambient sounds inaudible or drastically change the perception of acoustic warning signals.

Preventing damage to the product and malfunctions

- Always keep the product dry and do not expose it to extreme temperatures (hairdryer, heater, extended exposure to sunlight, etc.) to avoid corrosion or deformation. The normal operating temperature is from 0 °C to 40 °C/32 °F to 104 °F.
- ▷ Do not use if immersed into liquid.
- ➤ To avoid loud, unusual (whistling or beeping) noise and to ensure proper noise cancellation, do not cover the microphone openings of the active noise cancellation circuitry located on the outside of the ear cups.
- Clean the product only with a soft, dry cloth.

Safety instructions for Lithium rechargeable batteries



WARNING

If abused or misused, rechargeable batteries may leak. In extreme cases, they may even present a risk of:

- explosion
- heat and fire development
- smoke and/or gas development
- damage to health and/or the environment



Do not use chargers that can deliver more than 20 V or 60 W. Only use the rechargeable batteries recommended by Sonova Consumer Hearing.



Do not leave the product/rechargeable batteries unattended while charging.



Only charge the product/rechargeable batteries at ambient temperatures between 10 °C and 40 °C/50 °F and 104 °F and do not charge them near easily flammable objects.



Do not charge the product/rechargeable batteries in a damp environment. Make sure that the charging socket is free from moisture and contamination.



Do not heat the product/rechargeable batteries above 60°C/140°F. Avoid exposure to sunlight and do not throw the product/rechargeable batteries into fire.



Switch rechargeable battery-powered products off after



When not using the product/rechargeable batteries for extended periods of time, charge them regularly (about every three months).



Avoid prolonged skin contact with the product, rechargeable battery, charger or charging cable when connected to a power source. These components can heat up during charging and cause skin irritation.



Dispose of defective products with built-in rechargeable batteries at special collection points or return them to your specialist dealer to facilitate recycling.

Notes on data collection and processing and on firmware updates

This product stores individual settings such as the volume, the sound profiles and the Bluetooth connection data of paired devices. This data is required for the operation of the product and is not transferred to Sonova Consumer Hearing GmbH or companies commissioned by Sonova Consumer Hearing GmbH and is not processed.

Using the "Sennheiser Smart Control Plus" app, you can update the firmware of the headphones for free via an Internet connection. If the device on which the app is installed is connected to the Internet, the following data is automatically transferred to and processed by Sonova Consumer Hearing servers in order to provide and transfer suitable firmware updates: hardware identifier, hardware revision number, firmware version of the product, operating system type (Android, iOS) and version, version of the app. The data will only be used as specified and will not be stored permanently. If you do not want this data to be transferred and processed, do not connect to the Internet.

Using the Sennheiser Dongle Control program, you can update the BTD 700's firmware free of charge via an Internet connection. If the PC/Mac on which the program is installed is connected to the Internet, the following data is automatically transferred to and processed by Sonova Consumer Hearing servers in order to provide and transfer suitable firmware updates: product part number. The data is only used for the purpose of providing and transferring the firmware updates and is not stored permanently. If you do not want this data to be transferred and processed, do not connect to the Internet.

Notes on the use of headphones in damp environments

Headphones are an everyday companion. When using the headphones on the go, they may be exposed to moisture. For example, rain, air humidity or even sweat may come into contact with the headphones.

To ensure proper, safe and long-lasting performance:

- ▷ Avoid contact with moisture and always keep headphones dry.
- Do not use headphones in the rain/snow or in the shower.
- Do not use headphones in swimming pool, sauna or during other activities with water/high air humidity (e.g. washing dishes).
- Do not store headphones in airtight containers/bags together with damp objects (e.g. damp laundry) or objects that can cause condensation moisture (e.g. cold water bottles).
- Never charge damp headphones. Make sure that the charging socket is free from moisture and contamination.
- Only use high-quality USB charging cables with USB-IF certification.

If your headphones have become damp or wet:

- ▷ Dry headphones completely with a dry cloth.
- ▶ Allow headphones to dry at room temperature for at least
 24 hours before using and charging them again.
- Do not continue to use the product if it is obviously defective.

Intended use/Liability

The HDB 630 have been designed as an accessory for Bluetooth compliant devices. They are intended for wireless audio communication such as music playback and phone calls via Bluetooth wireless technology.

The BTD 700 is designed for wireless audio communication via Bluetooth wireless technology between a smartphone or a PC/Mac and headphones.

It is considered improper use when the products are used for any application not named in the corresponding product documentation.

Sonova Consumer Hearing GmbH does not accept liability for damage arising from misuse or improper use of this product and its attachments/accessories.

Sonova Consumer Hearing GmbH is not liable for damages to USB devices that are not consistent with the USB specifications.

Sonova Consumer Hearing GmbH is not liable for damages resulting from the loss of connection due to flat or overaged rechargeable batteries or exceeding the Bluetooth transmission range.

Before putting into operation, please observe the respective country-specific regulations.

Package contents



HDB 630 Headphones, Model: HDBT



BTD 700 USB C Bluetooth dongle



USB C cable with 2x USB C connector, approx. 1.2 m



Analog audio cable with 3.5 mm jack plug and 2.5 mm jack plug, approx. 1.2 m



In-flight adapter



Carry case



Quick guide



Safety guide



Compliance sheet

Online you can find:

- this detailed instruction manual and additional information (www.sennheiser-hearing.com/download)
- the Sennheiser Smart Control Plus app for configuring the headphones and for additional functions
 - Google Play: click
 - Apple App Store: click
- a list of accessories on the HDB 630 product page at <u>www.sennheiser-hearing.com/hdb-630</u> (to purchase online or contact your local Sonova Consumer Hearing partner: <u>www.sennheiser-hearing.com/service-support</u>)

 the Sennheiser Dongle Control program to update the BTD 700 firmware (<u>www.sennheiser-hearing.com/download</u> or <u>www.sennheiser-hearing.com/btd-700</u>)

Product overview

HDB 630

Model: HDBT




- 1 Headband, steplessly adjustable
- 2 Ear cups
- Multi-function button of the headphones:
 - On/off
 - · Voice assistant
 - Pairing
- 4 Ear pads
- Marking for the right ear (R) and for the left ear (L) (inside the ear cups)
- 6 4x Speech microphones for phone calls
- 7 Input for analog audio cable, 2.5 mm
 When a cable is connected, flight mode is activated/Bluetooth is deactivated

- 8 USB C socket For charging, calling, streaming via PC/Mac
- 9 LED display
- Microphones for Active Noise Cancellation ANC2x directed outwards, 2x directed inwards (not visible)
- 11) Touch pad (outside of the right ear cup)


Overview of the Smart Control Plus

Switching on the headphones

• Automatic switch-on: by lifting and putting on




 Manual switch-on: by pressing the multi-function button for 3 seconds



Gesture control via the touch pad


Tapping



· Horizontal swipe



· Vertical swipe



• Stretch



• Pinch



- You can also deactivate the touch pad function, see: see page 40.
- The headphones are equipped with a sensor that automatically detects whether the headphones are worn or taken off from your ears (Smart Pause function). You can find more information here: see page 39.

Overview of the LED display

During operation

LED		Meaning/Headphones
	1.1	switch on.
3x	white flashes 3x	are connected to a device via Bluetooth.
••••	white continuous sequence	are in Bluetooth pairing mode.
3x	red flashes 3x	switch off.

During phone calls

LED		Meaning
₹ :3x	white flashes 3x repeatedly	Incoming call
3x	red flashes 3x repeatedly	Incoming call with an almost empty battery

During charging

LED		Meaning
	1 red	Rechargeable battery is almost empty (less than 2% charged)
	1 white	Rechargeable battery is approx. 2-20% charged (>1 hour of playback time)
	2 white	Rechargeable battery is approx. 20-40% charged (>12 hours of playback time)
<u> </u>	3 white	Rechargeable battery is approx. 40-60% charged (>24 hours of playback time)
COCCE S	4 white	Rechargeable battery is approx 60-80% charged (>36 hours of playback time)
	5 white	Rechargeable battery is approx. 80-100% charged (>48 hours of playback time)
	5 white	Rechargeable battery is 100% charged (up to 60 hours of playback time)



If the LED display does not light up:

- Clean the charging socket (see page 44).
- Charge the rechargeable battery until the LED display lights up again (at least 30 minutes) (see page 17). If the rechargeable battery is completely discharged, it may take several minutes for the LED display to indicate the charging process.

Overview of sound signals and voice prompts

The headphones output voice prompts and sound signals in case of various events.



Via the Smart Control Plus app, you can adjust settings for the voice prompts and sound signals (see page 40).


Voice prompt	Meaning/headphones	
Establishing a Bluetooth connection		
"Connected"	are connected via Bluetooth.	
"No connection"	have lost the Bluetooth connection to a paired device.	
"Pairing successful"	have successfully completed Bluetooth pairing.	
"Pairing failed"	have not successfully completed Bluetooth pairing.	
Information on battery status	and volume	
"Recharge headset"	have an empty rechargeable battery. Charge the rechargeable battery (see page 17).	
"More than xx % battery left"	indicate the remaining battery charge in percent.	
"Volume min"	have reached the minimum volume setting.	
"Volume max"	have reached the maximum volume setting.	
"Mute on"	mute the microphone.	
"Mute off"	activate the microphone again.	

You hear short sound signals when the headphones

- · are switched on or off,
- · are put on or taken off,
- · are in pairing mode (melody),
- · detect devices in the pairing list,
- · cancel the pairing process,
- receive a gesture via the touch pad (increasing the volume, starting/pausing music playback, accepting/holding/rejecting calls, adjusting the ANC function or the Transparency Mode).
- · receive an incoming call (ring tone),
- are connected to a device via the audio cable or USB cable,
- are disconnected from the connection via the audio cable or USB cable.


USB C Bluetooth dongle

Model: BTD 700



- 1 Pairing button triggers device functions, e.g. the pairing process
- Status LED indicates the operating state of the BTD 700
- 3 USB C connector

Overview of the status LED on the housing



The status LED on the housing indicates the operating state of the $\ensuremath{\mathsf{BTD}}$ 700:

LE	D	Operating state
•	off	Disconnected from head- phones or device
	flashes red- white	Pairing with headphones is being performed
	flashes white 3x	Pairing with headphones was successful
	repeatedly flashes white 3x for 20 seconds	Searches for paired head- phones for up to 20 seconds
	flashes red 3x	Pairing with headphones was not successful
	lights up white and flashes 3x white	Reconnects with paired head- phones
	lights up dimly white	Connected via Bluetooth Classic mode
	lights up white	Audio streaming via SBC codec or call over Bluetooth Classic

LE	ED	Operating state
(i)	lights up pink	Audio streaming via aptX [™] Classic or Adaptive over Blue- tooth Classic*
(*)	lights up purple	Audio streaming via aptX [™] Lossless over Bluetooth Classic*
(0)	lights up dimly blue	Connected via Unicast mode* over LE Audio
	lights up blue	Streaming via Unicast mode* over LE Audio using LC3 codec
(*)	lights up amber	Auracast [™] Broadcasting mode over LE Audio using LC3 codec
(*)	lights up green	Gaming mode* (connection/ codec depends on headphone capability)
	flashes white	Incoming call
	lights up red	Mute function is active
(6) (6) (6)	flashes pink 3x	Reset to factory default set- tings


 $^{^{\}star} Feature$ support is model-dependent. Refer to the headphone manufacturer's documentations for more details.

Getting started

1. Charging the rechargeable battery

The headphones' rechargeable battery is not fully charged upon delivery.

▶ Before using the headphones for the first time, charge the rechargeable battery for a complete charging cycle without interruption (see page 17).




2. Connecting the headphones to a Bluetooth device

Connect the headphones to your smartphone via Bluetooth (see page 18).




3. Smart Control Plus app for your smartphone

The Sennheiser Smart Control Plus app allows you to use all functions and settings of the headphones and to e.g. adjust the sound to your liking using the equalizer (see page 22).



4. Using the headphones with BTD 700

For wireless high resolution audio streaming, the headphones can be connected to the Bluetooth USB dongle BTD 700. For this purpose, it is necessary to connect the BTD 700 to your audio source device and to connect the headphones to the Smart Control Plus app as well as the BTD 700. (see page 24).



5. Putting the headphones on and adjusting the headband

For good sound quality and best possible wearing comfort, the headband can be adjusted to properly fit your head (see page 28).



Using the headphones

Information on the rechargeable battery and the charging process

The headphones have a built-in rechargeable battery. A complete charging cycle takes approx. 2 hours. The charging time can vary depending on the power source used and the ambient temperature. Before using the headphones for the first time, charge the rechargeable battery for a complete charging cycle without interruption.

When the headphones are being charged, the LED display lights up (see page 10). Once the headphones are fully charged, the LEDs flash white for approx. 5 minutes and then go off. When the battery charge drops to a low level, the voice prompt "Recharge headset" asks you to recharge the headphones. If the headphones are not charged, the voice prompt will be repeated every 10 minutes until the headphones switch off.


A complete charging cycle of the headphones takes about 2 hours. The quick charge function gives you approx. 7 hours of playback time after 10 minutes of charging. The charging time can vary depending on the power source used and the ambient temperature.

Sonova Consumer Hearing recommends using the supplied USB cable and a compatible standard USB power supply for charging the headphones. Only use high-quality USB charging cables with USB-IF certification.

While the headphones are being charged, you can still listen to music or make phone calls. In this case, however, the charging time may be longer.

At the end of its operational lifetime, this product with its built-in rechargeable battery must be disposed of separately from normal household waste. You can find more information here: see page 50.

Charging the headphones' rechargeable battery



- 1. Make sure that the charging socket is free from moisture and contamination. Connect one of the USB C connector of the charging cable to the USB socket of the headphones.
- Connect the second USB C connector to a corresponding socket of a USB power source (to be ordered separately). Make sure that the USB power source is connected to the power supply system. The charging process of the headphones begins. The LED display indicates the charge status.

LED		Meaning
	1 red	Rechargeable battery is almost empty (less than 2% charged)
	1 white	Rechargeable battery is approx. 2-20% charged (>1 hour of playback time)
CÖ:	2 white	Rechargeable battery is approx. 20-40% charged (>12 hours of playback time)
المنزين المنافقة	3 white	Rechargeable battery is approx. 40-60% charged (>24 hours of playback time)
(<u>;</u>	4 white	Rechargeable battery is approx. 60-80% charged (>36 hours of playback time)
	5 white	Rechargeable battery is approx. 80-100% charged (>48 hours of playback time)
••••	5 white	Rechargeable battery is 100% charged (up to 60 hours of playback time)

If the LED display does not light up:

- Clean the charging socket (see page 44).
- Charge the rechargeable battery until the LED display lights up again (at least 30 minutes) (see page 17). If the rechargeable battery is completely discharged, it may take several minutes for the LED display to indicate the charging process.
- You can speed up the charging process by charging the headphones when they are switched off.
- If you disconnect the USB connection during or after charging, you will hear a voice prompt informing you of the remaining battery life.

Connecting the headphones to a Bluetooth device

To be able to use the Bluetooth connection, you must register both devices (headphones and e.g. smartphone) once. This process is called pairing.

If operation differs from the steps mentioned, also refer to the instruction manual of the Bluetooth device you are using.

If you switch on the headphones for the first time (the pairing list is empty), they automatically switch to pairing mode.

Information on the Bluetooth wireless connection

The headphones are compliant with Bluetooth 5.2. The BTD 700 is compliant with Bluetooth 5.4.

If your audio source supports one of the following high-resolution audio encoding methods, music is automatically played in high audio quality: $aptX^{\mathsf{TM}}$ Adaptive or AAC. Otherwise the headphones will play your music in normal audio quality (SBC). If you use BTD 700 for audio streaming, the status LED of the BTD 700 indicates the audio encoding method used.


Paired devices establish the Bluetooth wireless connection immediately after switch-on and are ready for use.

On switch-on, the headphones automatically try to connect to the last two connected Bluetooth devices. The headphones can save the connection profiles of up to six Bluetooth devices with which they have been paired. Audio playback is only possible from one device at a time.

If you pair the headphones with the seventh Bluetooth device, the saved connection profile of the least used Bluetooth device will be overwritten. If you want to re-establish a connection with the overwritten Bluetooth device, you have to pair the headphones again.

The BTD 700 saves the connection profile of the last paired Bluetooth headphones in the pairing list. After connecting to a mobile device or a PC/Mac, the BTD 700 automatically connects to the saved Bluetooth headphones. This way, you can use the dongle and headphones immediately after switch-on, even if you change computers, for example.

The BTD 700 can only save one connection profile. If you pair the BTD 700 with another pair of Bluetooth headphones, the saved connection profile will be overwritten.





Paired and connected Bluetooth device



Paired Bluetooth device (currently not connected)

Pairing the headphones with a Bluetooth device


- If you switch on the headphones for the first time (the pairing list is empty), they automatically switch to pairing mode.
- 1. Switch the headphones off and place them close to the Bluetooth device (max. 20 cm).
- 2. Press the multi-function button for 5 seconds.

 The headphones are switched on and you hear a sound signal.

 The LEDs light up white 3x.
 - The headphones switch to pairing mode. The LEDs light up as a white continuous sequence and a melody can be heard.
- 3. Activate Bluetooth on your Bluetooth device.

device are displayed.

- Via the menu of your Bluetooth device, start the search for new Bluetooth devices.
 All active Bluetooth devices in the proximity of your Bluetooth
- By default, the name of the headphones is "HDB 630". You can individually adjust the name in the Smart Control Plus app (see page 22).
- 5. From the list of found Bluetooth devices, select "HDB 630". If necessary, enter the default pin code "0000".
- 6. If pairing was successful, you hear the voice prompts "Pairing successful" and "Connected" one after the other. The LED flashes white 3x.



If no connection is established within 2 minutes, pairing mode is terminated and the headphones switch to standby mode. If necessary, repeat the steps described above.

Switching the connection to paired Bluetooth devices/"Connections"

To selectively switch the audio connection to paired Bluetooth devices using the "Connections" function, you require the Smart Control Plus app (see page 22).

- ▷ In the Smart Control Plus app, tap "Connections". The list of Bluetooth devices paired with the headphones appears.
- ▶ From the list, select the paired device to which you want to connect the headphones. Make sure that the desired device is switched on and Bluetooth is activated.
 - The Bluetooth audio connection between the desired Bluetooth device and the headphones is established.
 - The app connection between the device with the Smart Control Plus app installed and the headphones remains active (only Bluetooth Low Energy for communication between app and headphones, the device name is highlighted in bold).
- The "Connections" function also allows you to selectively delete pairing information of devices without resetting the headphones to the factory default settings.

Disconnecting the headphones from a Bluetooth device

- Via the menu of your Bluetooth device, disconnect the connection to the headphones.
 - The headphones are disconnected from the Bluetooth device. You hear the voice prompt "No connection". The headphones switch to standby mode.
- To delete the Bluetooth pairing list of the headphones: see page 47.

Installing the Smart Control Plus app

To make full use of all the settings and functions of the headphones, you need to have the free Sennheiser Smart Control Plus app installed on your smartphone.

Download the app from the Apple App Store or Google Play and install it on your smartphone. Alternatively, you can use your smartphone to scan the following QR code or to call up the following Internet site:

www.sennheiser-hearing.com/smart-control-plus-app



- Connect your smartphone to the headphones via Bluetooth (see page 18).
- > Start the Smart Control Plus app.

Switching the headphones on



WARNING

Danger due to high volume levels!

Listening at high volume levels can lead to permanent hearing defects.


- ▷ Before putting the headphones on, adjust the volume to a low level (see page 29).
- Do not continuously expose yourself to high volume levels.

Automatic switch-on

- When the headphones are in the supplied carry case: Take out the headphones from the carry case.
 One LED flashes white 3x. The headphones automatically switch
- Put on the headphones.
 - You hear a sound signal. If Bluetooth is activated on the headphones and a paired device is available, you hear the voice prompt "Connected".
 - If Bluetooth is deactivated on the headphones (see page 41), you only hear a sound signal. The active noise cancellation ANC may be activated (see page 33).

Manual switch-on

▶ Press the multi-function button for 3 seconds. One LED flashes white 3x. You hear a sound signal. If Bluetooth is activated on the headphones and a paired device is available, the LED lights up white and you hear the voice prompt "Connected". If Bluetooth is deactivated on the headphones (see page 41), you only hear a sound signal. The active noise cancellation may be activated (see page 33).



- Make sure that Bluetooth is already activated on your Bluetooth device when switching on the headphones.
- If Bluetooth is activated and the headphones cannot find a paired Bluetooth device within a few minutes, you hear the voice prompt "No connection". The LED flashes red 3x. The headphones switch to standby mode.

Switching the headphones off


Automatic switch-off

After taking off the headphones, they automatically switch off after 15 minutes. You can adjust the time span using the Smart Control Plus app (see page 22).

After being placed in the supplied carry case, the headphones immediately switch off automatically.

Manual switch-off

▶ Press the multi-function button for 3 seconds. You hear a sound signal. One LED flashes red 3x. The headphones switch off.




Audio streaming via BTD 700

Setting the Audio Mode Priority (Smart Control Plus app)

To make wireless high resolution audio streaming via BTD 700 possible, the high resolution mode has to be activated in the app.


The use of the high resolution audio mode might impact the stability of the Bluetooth connection between your headphones and the BTD 700. Hi-Res Audio has a higher data rate which can strain the Bluetooth connection and potentially lead to interruptions of the audio playback or audio quality degradation.



- 1. Tap on the icon "Settings" (🕸) to open the settings menu.
- 2. In the settings menu, tap on the "Audio Mode Priority" tile.
- 3. In the "Audio Mode Priority" menu, select "High Resolution".
- 4. Switch your headphones off and on again.

 The headphones will connect to the Smart Control Plus app again and adopt the settings for the audio resolution.

Connecting BTD 700 to your audio source device



Connect the BTD 700 to a USB C socket of your mobile device or PC/Mac.

The dongle is automatically switched on.

If the BTD 700 is already paired with your headphones, the dongle will automatically try to reconnect.

If the BTD 700 is not paired with your headphones, the dongle will automatically be in pairing mode and will search for Bluetooth headphones to pair with.

If you want to switch off the BTD 700, disconnect it from the USB socket of the mobile device or the PC/Mac.


Pairing BTD 700 with your headphones manually

Once the BTD 700 is successfully paired with a pair of Bluetooth headphones for the first time, the dongle will save the connection profile of the headphones in the pairing list. When you reconnect the paired BTD 700 to a mobile device or a PC/Mac, the dongle will automatically try to reconnect to the paired Bluetooth headphones.

If BTD 700 automatically switches to pairing mode:

> Start the pairing mode of your headphones.

If BTD 700 is already paired with a pair of Bluetooth headphones, you have to trigger the pairing mode manually to pair it with new headphones. This will overwrite the last saved pairing profile with the pairing profile of the new headphones.



- 1. Make sure that your headphones are switched on.
- 2. Press the button of BTD 700 for 3 seconds to start the pairing process.

BTD 700 switches to pairing mode.

The status LED flashes red and white alternatively.

Once paired successfully, the status LED flashes white 3x.

Controlling the connection management via Smart Control Plus app

After the pairing process, audio streaming takes place via BTD 700 from its audio source, while the headphones can be controlled via the Smart Control Plus app. You can use the app to make settings relating to the connection management.


The Smart Control Plus app will remember your preferred device for audio streaming. If you disconnect the BTD 700 from your device and reconnect it, the connection is established automatically.



- Dopen the Smart Control Plus app on your smartphone. On the start screen, check if the BTD 700 is listed in the "Connection management" tile. If not, pair your headphones that are connected to the Smart Control Plus app with the BTD 700 again (see page 25).
- ➤ Tap on the "Connection management" tile to make further settings.


To ensure that the sound on your headphones is streamed via BTD 700:

- Dopen the application that serves as the source for the audio streaming on your audio device.
- Select BTD 700 as output source, if not already done.



Reconnecting paired Bluetooth headphones with the BTD 700

If the BTD 700 has lost the connection to your headphones, you can try to re-establish the connection.




▷ Briefly press the button of the BTD 700. During the connection attempt, the status LED of the BTD 700 flashes white 3x repeatedly. The connection process can take up to 20 seconds.

Switching the BTD 700 codec when connected to your headphones


During audio streaming, the best available codec will be used. The following priorities apply in descending order: $aptX^{m}$ Adaptive, $aptX^{m}$ Classic, SBC.

To switch the codec used:

▶ Briefly press the button of the BTD 700 during audio streaming.




If audio encoding via $aptX^{^{\mathsf{M}}}$ Adaptive or $aptX^{^{\mathsf{M}}}$ Classic codec is active, the status LED lights up pink.




If audio encoding via SBC codec is active, the status LED lights up solid white.

Switching to gaming mode

▷ To enter the gaming mode, briefly press the pairing button 3x.



During audio streaming, the status LED lights up green.



During a call, the status LED lights up white.

➤ To switch back to high-quality streaming mode, briefly press the pairing button 3x again.

Switching from Bluetooth Hands Free Profile to (HFP) Advanced Audio Distribution Profile (A2DP)


➤ To switch from Bluetooth HFP to A2DP, briefly press the pairing button 4x.

Putting the headphones on and adjusting the headband

For good sound quality, the best possible noise cancellation and the best possible wearing comfort, the headband of the headphones can be adjusted to properly fit your head.

- Wear the headphones so that the headband runs over the top of your head. The markings for the right side (R) and for the left side (L) can be found on the inside of the ear cups.
- ▶ Move the ear cups up or down the headband slider until:
 - your ears are comfortably covered by the ear pads,
 - you feel even, gentle pressure around your ears,
 - a snug fit of the headband on the head is ensured.

For optimal sound quality, the ear pads must completely surround your ears.



Retrieving information on the battery charge status

When the headphones are connected to your Bluetooth device, the battery charge status can be displayed on the screen of your smartphone (depending on the device and operating system used).


The Smart Control Plus app also displays the battery charge status.

On the headphones, you can retrieve information on the battery charge level via the voice prompts (also possible while listening to music or talking on the phone, as long as you have the headphones on):

▶ Press the multi-function button 2x.

You hear a voice prompt informing you of the remaining battery life. Depending on the battery life of the headphones, the LEDs flash or light up.

Voice prompt	Meaning
"Recharge headset"	The rechargeable battery is empty. Charge the rechargeable battery (see page 17).
"More than xx % battery left"	The remaining battery charge is displayed as a percentage.



Adjusting the volume



WARNING

Danger due to high volume levels!

Listening at high volume levels can lead to permanent hearing defects. Toggling between the audio sources may cause enormous volume jumps that can permanently damage your hearing.

- ▶ Before putting the headphones on and before toggling between audio sources, adjust the volume to a low level.
- ▶ Do not continuously expose yourself to high volume levels.


You can adjust the playback volume for music and for phone calls.

▷ If you are playing music, are on a call or if the headphones are in idle mode (i.e. you are neither playing music nor are on a call):
Swipe vertically up or down on the touch pad to increase or reduce the volume for music, voice prompts and sound signals.

When the maximum or minimum volume is reached, you hear the voice prompt "Volume max" or "Volume min".

Depending on the length of the swipe motion, you adjust the volume in smaller increments (short swipe motion) or larger increments (long swipe motion).

When switching the headphones off, very high volume levels are automatically reset to a moderate level to protect your hearing when you switch the headphones on again.



- You can also adjust the volume using the connected Bluetooth device.
- If you have activated the voice assistant (see page 38) and then change the volume of the headphones, the volume of the voice assistant is adjusted accordingly and saved permanently.

Information on the active noise cancellation ANC

Due to their closed design, the headphones offer effective passive isolation from ambient noise.

In addition, the headphones have an active noise cancellation (ANC) function, which allows you to reduce ambient noise to a minimum.

Even when ANC is activated, your headphones' sound quality is always at its best.

You can activate or deactivate ANC when the headphones are connected to your audio source via Bluetooth or via the audio cable/USB cable (provided that the battery is sufficiently charged).

If you want to create a quiet space in a noisy environment, you can simply use the headphones – without connected cables and without Bluetooth devices – as noise protection by using ANC (see page 33).

With the Smart Control Plus app, you can select different ANC modes that provide the optimal settings for your application situation.

Notes on active noise cancellation

- Continuous and low-frequency noise, such as motor or fan noise, is particularly well suppressed.
- Speech or high-frequency noise is significantly reduced, but can remain perceptible.
- In very quiet environments, slight noise may occur. In this case, deactivate ANC.
- If unusual (whistling or beeping) noise occurs, take the headphones off and put them on again. Make sure that the ear cups properly fit around your ears.
- To avoid loud, unusual (whistling or beeping) noise and to ensure proper noise cancellation, do not cover the microphone openings of the active noise cancellation circuitry located on the outside of the ear cups.



Information on the Transparency Mode – Hearing ambient sounds or conversations

With the Transparency Mode activated, you can hear ambient sounds or communicate without having to remove the headphones (not possible when making phone calls). This allows you to hear e.g. announcements in the train or aircraft or to have short conversations.

The Transparency Mode optimally complements the active noise cancellation ANC. Via the adjustable intensity of the Transparency Mode and the active noise cancellation ANC, you can determine how much ambient noise reaches your ears or whether you want to listen exclusively to your music (ANC at full intensity).


If you use the Transparency Mode at full intensity, disturbing sounds, e.g. low-frequency noise such as aircraft noise, are always suppressed so that you can stay relaxed and in touch with your surroundings.

Switching between the active noise cancellation ANC and the Transparency Mode

You can use the gesture control on the touch pad to switch between the active noise cancellation ANC and the Transparency Mode, e.g. if you want to transition from ambient awareness to idle mode as quickly as possible.

This function is not available during an active call: see page 35.

➤ To switch between the modes, tap the touch pad 2x.



The intensity of the Transparency Mode and the active noise cancellation remains incrementally adjustable (see page 33).

Adjusting the playback pause in the Transparency Mode

You can select the behavior of the audio playback, i.e. how it behaves at maximum intensity of the Transparency Mode (tap the touch pad 2x). To be able to adjust this setting, you require the Smart Control Plus app (see page 22).

▶ In the Smart Control Plus app, select the desired Transparency Mode function in the "Active Noise Cancellation" section:

"Pause on full transparency"	Description
activated*	Audio playback (e.g. music) is muted and you hear only ambient sounds.
deactivated	Audio playback (e.g. music) continues and is mixed with ambient sounds.

^{*}default setting

Increasing/decreasing the active noise cancellation ANC and the Transparency Mode

To increase the active noise cancellation ANC and decrease the Transparency Mode:


▶ On the touch pad, move your thumb and index finger towards each other.

You hear a sound signal. The intensity of the ANC is increased and ambient awareness is decreased.

To increase the Transparency Mode and decrease the active noise cancellation ANC:

○ On the touch pad, move your thumb and index finger away from each other.

You hear a sound signal. The intensity of the ambient awareness is increased and the ANC is decreased.



You can also adjust the intensity of the active noise cancellation ANC and the Transparency Mode via a slider in the Smart Control Plus app.

Adjusting the active noise cancellation ANC

To be able to adjust settings for the active noise cancellation ANC, you require the Smart Control Plus app (see page 22).

▷ Select the desired setting in the "Active Noise Cancellation" section of the Smart Control Plus app:

ANC setting	Reduction of low-frequency noise and background noise	
"Adaptive"		
activated*	automatic reduction depending on the noise conditions	
deactivated	No automatic reduction	
"Wind Noise Reduction"		
Off	Wind noise reduction off	
Auto*	Automatically adjusted reduction to minimize disturbing wind or movement noise	
Max	Maximum wind noise reduction	


^{*}default setting

Listening to music using the headphones

You can listen to music when the headphones and your audio source are connected via Bluetooth (see page 18), the audio cable (see page 41) or via USB (see page 42).

Controlling music playback

The following music functions are only available when the headphones and the device are connected via Bluetooth or USB. Some smartphones or music players may not support all functions.



 $\, \triangleright \,$ Tap the touch pad.

Touch gesture		Function
Pr	Tap 1x	Plays or pauses music
2x	Тар 2х	Pauses music and switches to idle mode (intensity of the Transparency Mode remains adjustable: see page 33)



If music playback does not start:

- Check if the playback pause is activated in the Transparency Mode (see page 32) and deactivate the function if necessary.
- · Start the music playback app on your Bluetooth device.

Playing the next/previous track

> Swipe horizontally on the touch pad.

Touch gesture		Function
↑	Swipe for- ward	Plays the next track in the playlist
+Hold	Swipe for- ward and hold	*Fast-forwards a track
← P	Swipe back- ward	Plays the previous track in the playlist
+Hold	Swipe back- ward and hold	*Rewinds a track

^{*} only for smartphones or music players that support this function

Making phone calls using the headphones

The following call functions are only available when the headphones, the smartphone or the PC/Mac are connected via Bluetooth (see page 18). Some smartphones or communication apps may not support all functions. During a call, the active noise cancellation ANC is always activated to ensure the best possible speech intelligibility. The Transparency Mode cannot be used.



If the headphones are switched off during an active call or if the rechargeable battery is empty, the call is put on hold and you can use your smartphone as an output device as usual.


Making a call

Dial the desired number on your smartphone. If your smartphone does not automatically transfer the call to the headphones, select "HDB 630" as the output device on your smartphone (see the instruction manual of your smartphone if necessary).

Accepting/rejecting/ending a call

If your headphones are connected to a smartphone and you receive a call, you hear a ring tone in the headphones.

If you are playing music when you receive a call, the music pauses until you end the call.



Touch gesture		Function
P →	Swipe for- ward	Accepts a call
		Accepts an incoming call and ends the active call
← ∩	Swipe back- ward	Ends a call
2sec 7	Press for 2 sec	Rejects a call
		Rejects an incoming call and ends the active call
2x	Тар 2х	Puts an active call on hold
		Accepts an incoming call and puts the active call on hold
		Toggles between active call and call on hold


Muting and unmuting during a call

To mute the headphones' microphone during a call:

▶ Press the multi-function button 1x.You hear the voice prompt "Mute on". The microphone is muted.


To activate the microphone again:

▶ Press the multi-function button 1x. You hear the voice prompt "Mute off". The microphone is reactivated.




To use the mute function of the BTD 700:

▷ Briefly press the pairing button.



The status LED lights up red.

▷ To unmute the BTD 700, briefly press the pairing button again.



The status LED lights up white.

Using the Comfort Call function


When using the headphones for phone calls, you may find it more comfortable if your own voice is audible in the headphones. With the Comfort Call function activated, your own voice is played back through the headphones during a phone call.

Via the Smart Control Plus app, you can activate the function (default setting) or deactivate the function.

Using the voice assistant/voice dialing


The voice assistant is only available when the headphones and the mobile device are connected via Bluetooth or USB. Some smartphones or music players may not support all functions.

- ▶ Press the multi-function button 1x. The available voice assistant of your mobile device is activated (depending on the system used or app installed on your mobile device: Siri, Google Assistant or others. If no voice assistant is available, voice dialing may be activated).
- ▷ Speak your request.



To cancel the voice assistant or voice dialing:

▶ Press the multi-function button 1x.




Using the Smart Pause function

The headphones are equipped with a sensor that automatically detects whether the headphones are worn or taken off from your ears.

You can use the following functions:

- Music playback pauses when you take off the headphones and continues when you put them on again.
- A phone call is accepted when you put on the headphones.
- A phone call is muted when you take off the headphones during the call and resumed when you put the headphones back on.



If you take off the headphones and transport them or put them down when they are switched on, the sensor will not detect that the headphones have already been taken off in certain situations, e.g.:

- If you place the insides of the ear cups facing down on a table.
- If you wear the headphones around your neck and your chin covers the area inside the ear cups.
- If the insides of the ear cups are covered by objects or by your hands.
- If you hang the headphones over the edge of a bag or carry them inside a bag.
- If you wear the headphones over a cap, scarf, or over your hair.

To avoid problems with the sensor:

- Store the headphones in the supplied carry case (see page 43).
- Switch off the headphones manually when you store them outside the carry case (see page 23).
- You can deactivate the sensor function via the Smart Control Plus app. The smart functions such as automatic switch-off of the headphones when placed in the carry case or muting when the headphones are taken off are then no longer available.

Adjusting sound effects/the equalizer

To be able to use the sound effects/the equalizer, you require the Smart Control Plus app (see page 22).

▷ In the Smart Control Plus app, select the desired sound effects via the equalizer. You can use predefined presets, define sound modes (e.g. bass boost) or define your own settings. The sound effects are stored in the headphones. These sound settings are active even without using the Smart Control Plus app, i.e. when you are using a different Bluetooth device.

Setting the voice prompts/sound signals

To be able to set the voice prompts and sound signals, you require the Smart Control Plus app (see page 22).

In the app settings, you can activate voice prompts and sound signals (default setting) or deactivate them completely.

Deactivating the touch pad function

To avoid unintentional entries via the touch pad of the headphones, e.g. when you have put the headphones on while lying down, you can deactivate the touch pad function. To do this, use the Smart Control Plus app (see page 22).


Deactivating Bluetooth/activating flight mode

Deactivate the Bluetooth wireless connection when wireless connections are not allowed, such as on an aircraft during take-off and landing.

The active noise cancellation ANC can be fully used provided that the rechargeable battery is charged (see page 33).

To deactivate the Bluetooth wireless connection and activate flight mode:

▶ Press the multi-function button 5x. You hear the voice prompt "No connection". The Bluetooth wireless connection is deactivated.



To activate the Bluetooth wireless connection again:

- ▶ Press the multi-function button 5x. You hear the voice prompt "Connected". The Bluetooth wireless connection is activated.
- If you connect the audio cable, the Bluetooth wireless connection is also deactivated (see page 41).
- If you only want to use the headphones for active noise cancellation ANC during a flight, you can deactivate the touch pad function to avoid unintentional entries (see page 40).

Using the audio cable/activating flight mode

If you connect the audio cable, flight mode is activated and the Bluetooth wireless connection is deactivated.

Use the audio cable when

- wireless transmission is not allowed, e.g. during aircraft take-off and landing,
- your audio source doesn't offer a Bluetooth connection.


The functions for controlling music, phone calls or the voice assistant are not available. The active noise cancellation ANC can be fully used provided that the rechargeable battery is charged (see page 33).

Connecting the headphones using the audio cable

- ▷ Connect the 2.5 mm jack plug of the audio cable to the headphones' audio socket.
 - Flight mode is activated and the Bluetooth wireless connection is deactivated.
- Connect the 3.5 mm jack plug to the audio output of your smartphone.

To disconnect the audio cable:

▷ Carefully disconnect the jack plug from the headphones.



Using the in-flight adapter

- Connect the 3.5 mm jack plug of the audio cable (see page 41) to the in-flight adapter.
- Connect the in-flight adapter to the aircraft's in-flight entertainment system.
- If the volume of the headphones is too low, first increase the volume on the in-flight entertainment system.
- If you want to increase the volume on the headphones and the volume cannot be increased as usual, restart the headphones by switching them off and on again.

Connecting the headphones using the USB cable

When you connect the headphones to a Mac/PC/mobile device using the supplied USB cable, you can play audio content from your Mac/PC/mobile device directly through the headphones. Only use high-quality USB cables with USB-IF certification to ensure optimum data and power transfer.

The headphones are automatically charged when you connect them to a Mac/PC/mobile device using the USB cable.

Setting up the headphones as the default audio output and audio input device for your Mac/PC/mobile device

- ▶ Make sure that possible Bluetooth connections are disconnected.
- Connect the headphones and the Mac/PC or mobile device via the USB cable.
 - The headphones are charged via the USB connection.
- ▶ From the Systems Preferences or Control Panel of your Mac/PC/ mobile device, select "HDB 630" as the default audio output device and/or default audio input device.
- Start music playback from the Mac/PC/mobile device. The music is played through the headphones and the microphone is used for recording.

Storing and transporting the headphones


Store the headphones in the carry case to prevent damage to the headphones when you are not using or transporting them.

If you store or transport the headphones when they are still switched on, the sensor will not detect that the headphones have already been taken off in certain situations, e.g. if you hang them over the edge of a bag or transport them inside a bag.

Information on how to avoid problems with the sensor can be found here: see page 39.

Fold up the headphones and place them in the carry case as shown in the illustration.

The headphones automatically switch off.



Care and maintenance

Cleaning the HDB 630 and the BTD 700

ATTENTION

Liquids can damage the electronics of the product!

Liquids entering the housing of the product can cause a short-circuit and damage the electronics.

- Do not use any solvents or cleansing agents.
- $\, \triangleright \,$ Clean the products only with a soft, dry cloth.

To clean the charging socket of the headphones:

- ▷ Blow vigorously over the charging socket.
- ▷ If necessary, carefully remove any stuck dirt from the charging socket using a dry, soft brush or a dry interdental brush. Only apply gentle pressure when doing so.


Replacing the ear pads

For reasons of hygiene, you should replace your ear pads from time to time. Spare ear pads are available at

<u>www.sennheiser-hearing.com/hdb-630</u> (to purchase online or contact your local Sonova Consumer Hearing partner:

www.sennheiser-hearing.com/service-support)

- $\, \triangleright \,$ Grab the ear pad and pull the ear pad including the fastening ring off the ear cup.
- ▶ Place the new ear pad onto the ear cup. An assignment to the right and left side is not necessary.
- ▶ Press the new ear pad firmly onto the ear cup all the way around so that it clicks audibly into place and is flush with the ear cup.



Information on the built-in rechargeable battery

Sonova Consumer Hearing GmbH ensures and guarantees that the rechargeable batteries perform at their optimum upon purchase of the product. If, upon purchase or within the warranty period, you suspect that a rechargeable battery is obviously defective or if a charging error/battery error is displayed (see page 10), stop using the product, disconnect it from the power supply system and contact your Sonova Consumer Hearing partner. Your Sonova Consumer Hearing partner will coordinate the repair/replacement with you.

Do not return a product with a defective battery to your dealer or Sonova Consumer Hearing partner unless requested to do so. To find a partner in your country, search at

www.sennheiser-hearing.com/service-support.

At the end of its operational lifetime, this product with its built-in rechargeable battery must be disposed of separately from normal household waste. You can find more information here: see page 50.

Installing firmware updates

Firmware updates for HDB 630

Firmware updates for HDB 630 can be downloaded free of charge from the Internet using the Sennheiser Smart Control Plus app. Sonova Consumer Hearing recommends to always install the latest firmware version to ensure the best performance of your product.

- Connect the headphones to your smartphone and start the Smart Control Plus app (see page 22).
- ➤ The app provides information on available firmware updates and guides you through the installation process.

Firmware updates for BTD 700

Firmware updates for BTD 700 can be downloaded free of charge from the Internet using the Sennheiser Dongle Control program: www.sennheiser-hearing.com/btd-700 or

www.sennheiser-hearing.com/download

FAQ/If a problem occurs...

Resetting the HDB 630

If a problem has occurred, proceed in the following order until the problem is solved and you can use the headphones again:

- 1. Press the multi-function button for 20 seconds (reset) (see page 47).
- 2. Connect the headphones to the Smart Control Plus app to install the latest firmware (see page 45).
- 3. Reset the headphones to the factory default settings (see page 47).
- 4. Check the list of frequently asked questions to see if there is a solution to the problem (see page 46).
- 5. Contact your Sonova Consumer Hearing partner to solve the problem (see page 46).

Resetting the BTD 700

If a problem has occurred, proceed in the following order until the problem is solved and you can use the BTD 700 again:

- 6. Connect the BTD 700 to the Sennheiser Dongle Control program to install the latest firmware (see page 45).
- 7. Reset the BTD 700 to the factory default settings (see page 47).
- 8. Check the list of frequently asked questions to see if there is a solution to the problem (see page 46).

Current list of frequently asked questions (FAQ)

Visit the HDB 630 product page at www.sennheiser-hearing.com/download.

There you will find a current list of frequently asked questions (FAQ) and suggested solutions.

Your question has not been answered or the problem persists?

If a problem occurs that is not listed in the FAQ section or if the problem cannot be solved with the proposed solutions, please contact your Sonova Consumer Hearing partner for assistance.

To find a partner in your country search at www.sennheiser-hearing.com/service-support.

Leaving the Bluetooth transmission range


Wireless calling and streaming are only possible in the Bluetooth transmission range of your smartphone. The transmission range largely depends on environmental conditions such as wall thickness, wall composition etc. With a free line of sight, the transmission range of most smartphones and Bluetooth devices is up to 10 meters.

If you, and therefore the headphones, leave the Bluetooth transmission range of the smartphone, the sound quality deteriorates increasingly until you hear the voice prompt "Lost connection" and the connection breaks down completely. If you immediately re-enter the Bluetooth transmission range, the connection is automatically re-established.

Resetting the HDB 630

If the function of the headphones is disturbed, perform a reset. Individual settings such as the pairing settings are not deleted.

▶ Press the multi-function button for 20 seconds. You hear a short confirmation sound.



Deleting the Bluetooth pairing list of the HDB 630

You can delete the Bluetooth pairing list using the Smart Control Plus app. Follow the instructions in the app.

Resetting the HDB 630 to the factory default settings


To be able to reset the headphones to the factory default settings, you require the Smart Control Plus app (see page 22).

- Switch on the headphones (see page 22) and connect them to a Bluetooth device on which the Smart Control Plus app is available.
- ▷ Select the "Factory default settings" function in the app settings.

Resetting the BTD 700 to the factory default settings

If the function of the BTD 700 is disturbed, reset the dongle to the factory default settings. The saved connection profile of the last paired Bluetooth headphones will be deleted from the pairing list.

▶ Press and hold the pairing button of the BTD 700 for 10 seconds.



As soon as the reset is performed, the status LED flashes pink 3x.

Specifications

HDB 630

Model: HDBT

Wearing style	Bluetooth® around-ear, closed-back
Ear coupling	circum-aural
Transducer principle	dynamic
Transducer	42 mm
Speaker Frequency Range	6 Hz to 40,000 Hz (when using Line- In, USB (96kHz sampling rate) or Bluetooth with aptX™ Adaptive (96kHz) 6 Hz to 22,000 Hz
Speaker Sensitivity	105 dB SPL (1 kHz/0 dB FS)
Speaker THD	<0.2% (1 kHz, 100 dB SPL)
Microphone principle	MEMS
Microphone frequency response	50 Hz to 10,000 Hz (-3 dB)
Microphone pick-up pat- tern (speech audio)	4 omni-directional microphones 2x2-mic beamforming array
Power supply	built-in rechargeable lithium-polymer battery: 3.7 V, 700 mAh, 2.59 Wh USB charging via USB C socket: 5 V, 750 mA max.
Charging time of recharge- able battery	approx. 2 hrs
Operating time	up to 60 hrs (music playback via Blue- tooth with ANC activated)
Temperature range	operation: 0°C to +40°C charging: +10°C to +40°C storage: -20°C to +60°C
Relative humidity	operation: 10 to 80%
/ \	storage: 10 to 90%
(non condensing)	3101age. 10 to 90 %
Weight (headphones)	approx. 293 g

Bluetooth

Version	Bluetooth 5.2 compliant, class 1
Transmission frequency	2,402 MHz to 2,480 MHz
Modulation	GFSK, π/4 DQPSK, 8DPSK
Profiles	HFP, AVRCP, A2DP
Output power	10 mW (max)
Codec	aptX™ Adaptive, aptX [™] HD, aptX [™] , AAC, SBC

Device name	HDB 630 (individually adjustable) LE-HDB 630 (Bluetooth Low Energy only)
Number of active connections	2

BTD 700 Bluetooth® USB Adapter

Model: BTD 700

Dimensions	approx. 23.8 mm x 15.2 mm x 7.6 mm
(Length x width x height)	
Weight	approx. 2.2 g
USB interface	USB 2.0
Power supply	5 V, 100 mA
Input voltage	4.75 to 5.25 V
Operating current	≤ 100 mA
Standby current	< 2.5 mA
Temperature range	operation: 0 to +40°C
	storage: -25 to +70°C
Relative air humidity, non-condensing	operation/storage: < 85%
Supported host operating	Windows 10 or higher
systems	Mac OS V11 and V12
	Android 13 or higher
	iPhone or iPad with USB C

Bluetooth

Version	Bluetooth 5.4 compliant, class 1
Transmission frequency	Classic BDR/EDR and BLE 1M: 2,402 MHz to 2,480 MHz,
	BLE 2M: 2,404 MHz to 2,478 MHz (without 2,426 MHz)
Modulation	GFSK, π/4 DQPSK, 8DPSK
Profiles	HFP, A2DP, Auracast [™]
Output power	10 mW (max)
Codec	Qualcomm [®] aptX [™] ,
	Qualcomm [®] aptX [™] Adaptive Audio,
	Qualcomm [®] aptX [™] Lossless,
	SBC, LC3
Device name	BTD 700
Range	up to 50 m

Manufacturer declarations

Warrantv

For North America, Latin America & Caribbean and Asia-Pacific, Sonova Consumer Hearing GmbH gives a warranty of 24 months on the HDB 630 and a 12-month warranty on the BTD 700.

For Europe and the Middle East, Sonova Consumer Hearing GmbH offers a 24-month warranty on these products.

For the current warranty conditions, please visit our website at www.sennheiser-hearing.com/warranty or contact your Sonova Consumer Hearing partner.

LIMITED AVAILABILITY OF REPLACEMENT PARTS AND REPAIR SERVICES

Most Products are covered by a 2-year Limited Warranty. Please see our full warranty terms and conditions here, which also include a list of the Products the warranty applies to: www.sennheiser-hearing.com/warranty-conditions.

Beyond the terms of the Limited Warranty, Sonova Consumer Hearing GmbH does not warrant or guarantee the availability of, and hereby disclaims any implied, statutory or other warranty or guarantee of availability of, any spare or replacement parts, repair services or information necessary for the maintenance or repair of the Products offered for sale at www.sennheiser-hearing.com by Sonova Consumer Hearing GmbH.

In compliance with the following requirements

- General Product Safety Regulation (EU) 2023/988
- Compliant to Sound Pressure Limits according to country specific requirements

EU declaration of conformity



- Battery Regulation (EU) 2023/1542
- RoHS Directive (2011/65/EU)

Hereby, Sonova Consumer Hearing GmbH declares that the radio equipment types HDBT and BTD 700 are in compliance with the Radio Equipment Directive (2014/53/EU).

The full text of the EU declaration of conformity is available in English language at the following Internet address: www.sennheiser-hearing.com/download.

UK declaration of conformity

- RoHS Directive (2012)
- Radio Equipment Regulations (2017)

Notes on disposal



- EU: Battery Regulation (EU) 2023/1542
- EU: WEEE Directive (2012/19/EU)
- UK: Battery Regulations (2015)
- UK: WEEE Regulations (2013)

The symbol of the crossed-out wheeled bin on the product, the battery/rechargeable battery (if applicable) and/or the packaging indicates that these products must not be disposed of with normal household waste, but must be disposed of separately at the end of their operational lifetime. For packaging disposal, observe the legal regulations on waste segregation applicable in your country. Improper disposal of packaging materials can harm your health and the environment.

The separate collection of waste electrical and electronic equipment, batteries/rechargeable batteries (if applicable) and packagings is used to promote the reuse and recycling and to prevent negative effects on your health and the environment, e.g. caused by potentially hazardous substances contained in these products. Recycle electrical and electronic equipment and batteries/rechargeable batteries at the end of their operational lifetime in order to make contained recyclable materials usable and to avoid littering the environment.

If batteries/rechargeable batteries can be removed without damaging them, you are obliged to dispose of them separately (for the safe removal of batteries/rechargeable batteries, see the instruction manual of the product). Handle lithium-containing batteries/rechargeable batteries with special care, as they pose particular risks, such as the risk of fire and/or the risk of ingestion in the case of coin batteries. Reduce the generation of battery waste as much as possible by using longer-life batteries or rechargeable batteries.

Further information on the recycling of these products can be obtained from your municipal administration, from the municipal collection points, or from your Sonova Consumer Hearing partner. You can also return electrical or electronic equipment to distributors who have a take-back obligation. Herewith you make an important contribution to the protection of the environment and public health.

Trademarks

Apple®, iPad®, and iPhone® are trademarks of Apple Inc., registered in the U.S. and other countries and regions.

The trademark "iPhone" is used in Japan with a license from Aiphone K.K. App Store® is a service mark of Apple Inc., registered in the U.S. and other countries and regions. Use of the Made for Apple badge means that an accessory has been designed to connect specifically to the Apple product(s) identified in the badge and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Android and Google Play are trademarks of Google LLC. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc.

The Auracast™ word mark and logos are trademarks owned by the Bluetooth SIG. Any use of such marks by Sonova Consumer Hearing GmbH is under license. Qualcomm aptX is a product of Qualcomm Technologies, Inc. and/or its subsidiaries. Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries. aptX is a trademark of Qualcomm Technologies International, Ltd., registered in the United States and other countries.

Sennheiser is a brand licensed by Sonova. All other brands, trademarks, product and company names mentioned herein are property of their respective owners.